

EXHIBIT I - ORIGINALS OF APPENDICES I-X



RECEIVED

MAR 21 2002

Technology Center 2100

APPENDIX I

FISHER SCIENTIFIC RIMS
REQUISITION HEADER

DATE: 08/05/94
TIME: 07:04:57

ACCT-NBR :

NAME:

ADDRESS:

COMPANY :

REQ NBR :

RELEASE :

ORDER TYPE : R ORDER

HOLD/REL: I

RUSH CODE: 9

CALLER :

FREIGHT OVERRIDE: N

TAX OVERRIDE:

ATTN :

EDI PO TO HOST: N POA 855

PRT ACK: Y

NBR OF COPIES: 1

BILL TO :

ACK DELV CODE: P PRINT & DELIVER

REQ DELV CODE: W WALK IN

VENDOR :

SERVICE CHARGE: 0.00

CREATED: 08-04-1994

STATUS: R

RESPONSE: KEY(S):

+F2:ADD F3:EXIT F4:UPDATE F5:REFRESH F6:ITEM F9:VAR F10:SRCE F11:CHGPO F12:DEL
1BV123

APPENDIX II

*** REQUISITION MANAGEMENT SCREEN ***

ACCT NBR: 218848 002 REQ NBR: TEST NEW ONE

COMP: 1 REL NBR:

S	LINE	STOCK NBR	QTY	UM	PT	STKM	XREF	SPI	UNIT PRICE	EXT PRICE
	001	13246818F	0	CS	03				0.00	0.00
DESC:			QTY AVAIL: 0 LOC: FSHR WHSE: BLW							

002	DESC:	QTY AVAIL:	LOC:	WHSE:
-----	-------	------------	------	-------

003	DESC:	QTY AVAIL:	LOC:	WHSE:
-----	-------	------------	------	-------

004	DESC:	QTY AVAIL:	LOC:	WHSE:
-----	-------	------------	------	-------

005	DESC:	QTY AVAIL:	LOC:	WHSE:
-----	-------	------------	------	-------

RESPONSE: KEY(S):

ALL ITEMS DISPLAYED

F3:EXIT F6:SOURCE F7:BKWD F8:FWD F9:NEW F10:NONCAT F11: CATALOG F12:CNCL

APPENDIX III

ovens

General

- ~~(1106) Fisher Isotemp 1800 Series Programmable Ovens~~
- (1107) Isotemp 700 Series Deluxe Lab Ovens
- (1108) Isotemp 600 Standard Lab Ovens
- (1109) Fisher Isotemp 500 Series Economy Lab Ovens
- (1110) Gravity Convection Ovens
- (1111) Utility Ovens
- (1112) Mechanical Convection Ovens with Electronic Temperature
- (1113) General-Purpose Ovens
- (1114) Heavy Duty Deluxe Ovens
- (1116) Large Capacity Model 2882A
- (1117) Standard Capacity Model 281A
- (1118) Fisher Models 280 and 285 Vacuum Ovens
- (1119) NAPCO Vacuum Ovens

Help Catalogs Search Order List Minimize Clear Prev Next Exit

APPENDIX IV

(FSC1106)Fisher Isotemp 800 Series Programmable Ovens

Fisher Isotempx 800 Series Programmable Ovens

- Three linear heat-up and cool-down stages*
- Talking control panel*
- Keypad and lighted graphics*
- 30° to 325°C range*
- RS-422 serial communications capability*

The latest technology at your fingertips. Accurate, easy-to-use controls allow you to program up to 3 heat-up stages and 3 cool-down stages linearly to provide the most appropriate conditions for your samples. Using the large keyboard, you can choose the heat-up or cool-down rate, the temperature you want for each stage, and the length of time you want the oven to hold each temperature. And, for projects requiring repeatability, you can duplicate the settings at any time.

Help Catalogs Search Order List Minimize Clear Prev Next Exit

APPENDIX VI

ITEMS SELECTED

Part Number	Description	List Price
13246818F	ISOTEMP OVEN MDL818F/230V	3495.00

Help Cancel Delete Delete All Order Description

APPENDIX V

(FSC1106) Fisher Isotemp 800 Series Programmable Ovens

Model	818F	838F
Inside D x W x H	16 x 12 x 16 (41 x 30 x 41cm)	18 x 18 x 20 (46 x 46 x 51cm)
Shp. Wt.	156 lb. (71kg)	195 lb. (88kg)
Electrical Requirements	230V 50/60Hz 11.3 Amps	230V 50/60Hz 19 Amps
Cat. No.	<u>13-246-818F</u>	13-246-838F
Each	3495.00	3995.00

Extra Shelves for 800 Series Ovens

No-tip design. Move to any position in seconds. Full Depth Shelves: Chrome-Plated Steel

Help Catalogs Search Order List Minimize Clear Prev Next Exit

APPENDIX VII

SEARCH

Page:

Search For:

Part Number: ☐Fisher ☐Vendor ☐Customer

Vendor Name:

Bulletin:

HELP	SEARCH	CANCEL	CLEAR	USER DATA	EXTENDED			
Help	Catalogs	Search	Order List	Minimize	Clear	Prev	Next	Exit

APPENDIX VIII

RESPONSE: KEYS(S):
I ITEM(S) PROCESSED
+ F3:EXIT F6:SOURCE F7:BKWD: F8:FWD F9:NEW ITM F10:NONCAT F11:CATALOG F12:CNCL

LB V123

APPENDIX IX

RICPOMP1	FISHER SCIENTIFIC RIMS	DATE: 08-03-94
	REQUISITION MANAGEMENT SCREEN	TIME: 07:44:13
COMP ID: 001	REQ-NBR : PO NBR 001	
ACCT NBR : 363690 006	REL-NBR :	
ORDER NBR:	PICKLIST REVIEWED :	
SERVICE : 0.00	ORDER: 0.00	FREIGHT:
CARRIER :		

O LINE	PART	QTY	UOM	PRD	UNIT PRICE	SERVICE	EXT PRICE	LOC	STAT
001	A181	1	EA	03	35.30	0.00	35.30	DEL	S
	ACETONE CERTIFIED ACS		1L		QTY AVAIL:	1		QTY REC:	0
002	02540K	1	PK	01	32.70	0.00	32.70	JIT	S
	BEAKER GRIFFIN 250ML		12/9		QTY AVAIL:	49		QTY REC:	0
003	13246818F	1	EA	03	3495.00	0.00	3495.00	EDC	S
	PROGRAMMABLE OVEN				QTY AVAIL:	0		QTY REC:	0
004	A181-06	1	EA	06	100.00	0.00	100.00	JIT	S
	ACETONE				QTY AVAIL:	0		QTY REC:	0

RESPONSE: KEY(S):

+ F3:EXIT F6:ACCEPT F7:BXWD F8:FWD F9:PRINT ACK F11:M/B ERRORS F12 DELETE
1B V123

APPENDIX X

*** REQUISITION MANAGEMENT SCREEN ***

ACCT NBR: 218848 002 REQ NBR: TEST NEW ONE
COMP: 001 REL NBR:
ELECTRONIC SOURCING MESSAGES

LINE NUMBER 001 PART NUMBER 53610
PART ADDED SUCCESSFULLY

LINE NUMBER 001 PART NUMBER 53610
REPLACEMENT WAS MADE FOR PRIOR PART: S100-06

LINE NUMBER 001 PART NUMBER 53610
VENDOR CHANGED FROM: VN00000001

LINE NUMBER 002 PART NUMBER 53620
PART ADDED SUCCESSFULLY

LINE NUMBER 003 PART NUMBER 53650
PART ADDED SUCCESSFULLY

F6:RETURN F7:BACKWARD F8:FORWARD



RECEIVED
MAR 21 2002
Technology Center 2100

APPENDIX I

FISHER SCIENTIFIC RIMS
REQUISITION HEADER

DATE: 08/05/94
TIME: 07:04:57
ACCT-NBR :

NAME:
ADDRESS:

COMPANY :
REQ NBR :
RELEASE :

ORDER TYPE : R ORDER

RUSH CODE: 9

CALLER :

HOLD/REL: I
FREIGHT OVERRIDE: N

TAX OVERRIDE:

ATTN :

EDI PO TO HOST: N POA 855

NBR OF COPIES: 1

BILL TO :

PRT ACK: Y
ACK DELV CODE: P PRINT & DELIVER

VENDOR :

REQ DELV CODE: W WALK IN
SERVICE CHARGE: 0.00

CREATED: 08-04-1994

STATUS: R

RESPONSE: KEY(S):

+F2:ADD F3:EXIT F4:UPDATE F5:REFRESH F6:ITEM F9:VAR F10:SRCE F11:CHGPO F12:DEL
LBV123



RECEIVED
MAR 21 2002
Technology Center 2100

APPENDIX II

** REQUISITION MANAGEMENT SCREEN **

ACCT NBR: 218848 002 REQ NBR: TEST NEW ONE
COMP: 1 REL NBR:
S LINE STOCK NBR QTY UM PT STCRM XREF SPI UNIT PRICE EXT PRICE
001 13246818F 0 CS 03 0.00 0.00
DESC: QTY AVAIL: 0 LOC: FSHR WHSE: BLW
002 QTY AVAIL: LOC: WHSE:
003 QTY AVAIL: LOC: WHSE:
004 QTY AVAIL: LOC: WHSE:
005 QTY AVAIL: LOC: WHSE:
DESC: QTY AVAIL: LOC: WHSE:
RESPONSE: KEY(S):
ALL ITEMS DISPLAYED
F3:EXIT F6:SOURCE F7:BKWD F8:FWD F9:NEW F10:NONCAT F11: CATALOG F12:CNCL



RECEIVED
MAR 21 2002
Technology Center 2100

APPENDIX III

ovens

General

- (1106)Fisher Isotemp 800 Series Programmable Ovens
- (1107)Isotemp 700 Series Deluxe Lab Ovens
- (1108)Isotemp 600 Standard Lab Ovens
- (1109)Fisher Isotemp 500 Series Economy Lab Ovens
- (1110)Gravity Convection Ovens
- (1111)Utility Ovens
- (1112)Mechanical Convection Ovens with Electronic Temperature
- (1113)General-Purpose Ovens
- (1114)Heavy Duty Deluxe Ovens
- (1116)Large Capacity Model 2882A
- (1117)Standard Capacity Model 281A
- (1118)Fisher Models 280 and 285 Vacuum Ovens
- (1119)NAFCO Vacuum Ovens

Help Catalogs Search Order List Minimize Clear Prev Next Exit

RECEIVED
MAR 21 2002
Technology Center 2100

APPENDIX IV

(FSC1106)Fisher Isotemp 800 Series Programmable Ovens

Fisher Isotemp 800 Series Programmable Ovens

Three linear heat-up and cool-down stages

Talking control panel

Keypad and lighted graphics

300 to 325° C. range

RS-422 serial communications capability

The latest technology at your fingertips. Accurate, easy-to-use controls allow you to program up to 3 heat-up stages and 3 cool-down stages linearly to provide the most appropriate conditions for your samples. Using the large keyboard, you can choose the heat-up or cool-down rate, the temperature you want for each stage, and the length of time you want the oven to hold each temperature. And, for projects requiring repeatability, you can duplicate the settings at any time.

Help Catalogs Search Order List Minimize Clear Prev Next Exit

APPENDIX V

(FSC1106) Fisher Isotemp 800 Series Programmable Ovens

Model	818F	838F
Inside D x W x H	16 x 12 x 16 (41 x 30 x 41 cm)	18 x 18 x 20 (46 x 46 x 51 cm)
Shp. wt.	156 lb. (71 kg)	195 lb. (88 kg)
Electrical Requirements	230 V 50/60 Hz 11.3 Amps	230 V 50/60 Hz 19 Amps
Cat. No.	13-246-818F	13-246-838F
Each	3495.00	3995.00
Extra Shelves for 800 Series Ovens		
No-tip design. Move to any position in seconds. Pull Depth Shelves: Chrome-Plated Steel		
Help Catalogs Search Order List Minimize Clear Prev Next Exit		

APPENDIX VI

ITEMS SELECTED

Part Number	Description	List Price
13246818F	ISOTEMP OVEN MDL818F 230 V	3495.00
Help	Cancel Delete Delete All Order	Description

APPENDIX VII

SEARCH

Page:

Search For:

Part Number: ☐ Fisher ☐ Vendor ☐ Customer

Vendor Name:

Bulletin:

HELP SEARCH CANCEL CLEAR USER
DATA EXTENDED

Help	Catalogs	Search	Order List	Minimize	Clear	Prev
Next	Exit					

APPENDIX VIII

RICREQ11 FISHER SCIENTIFIC RIMS DATE: 07-29-94
 REQUISITION MANAGEMENT SCREEN TIME: 14:54:22
 ACCT NBR: 363690 006 REQ NBR: PO NBR 001
 COMP: 1 REL NBR:
 0 LINE STOCK NBR QTY UM PT STKRM XREF SPI UNIT PRICE EXT PRICE
 001 A181 1 EA 03 0.00 0.00
 DESC: QTY AVAIL: 0 LOC: FSHR WHSE: EDC
 002 02540K 1 PK 01 0.00 0.00
 DESC: QTY AVAIL: 49 LOC: WHSE: JIT
 003 13246818F 1 EA 03 0.00 0.00
 DESC: QTY AVAIL: 0 LOC: FSHR WHSE: EDC
 004 A181-06 1 EA 06 100.00 100.00
 DESC: ACETONE QTY AVAIL: 0 LOC: WHSE: JIT
 JIT BACKORDER WILL OCCUR
 005
 DESC: QTY AVAIL: 0 LOC: WHSE:
 RESPONSE: KEY(S):
 1 ITEM(S) PROCESSED
 +F3:EXIT F6:SOURCE F7:BKWD F8:FWD F9:NEW ITM F10:NONCAT F11: CATALOG F12:CNCL
 LB V123

APPENDIX IX

RICPOMP1		FISHER SCIENTIFIC RIMS		DATE: 08-03-94	
REQUISITION MANAGEMENT SCREEN TIME: 07:44:13					
COMP ID: 001		REQ-NBR : PO NBR 001			
ACCT NBR: 363690 006		REL-NBR :			
ORDER NBR:		PICKLIST REVIEWED :			
SERVICE: 0.00		ORDER:		0.00 FREIGHT:	
CARRIER:					

O LINE	PART	QTY	UOM	PRD	UNIT PRICE	SERVICE	EXT PRICE	LOC.
001	A181	1	EA	03	35.30	0.00	35.30	DEL S
	ACETONE CERTIFIED ACS		IL		QTY AVAIL:	1		QTY REC: O
002	02540K	1	PK	01	32.70	0.00	32.70	JIT S
	BEAKER GRIFFIN 250 ML		12/9		QTY AVAIL:	49		QTY REC: O
003	13246818P	1	EA	03	3495.00	0.00	3495.00	EDC S
	PROGRAMMABLE OVEN				QTY AVAIL:	0		QTY REC: O
004	A181-06	1	EA	06	100.00	0.00	100.00	JIT S
	ACETONE				QTY AVAIL:	0		QTY REC: O

RESPONSE: KEY(S):

+ F3:EXIT F6:ACCEPT F7:BKWD F8:FWD F9:PRINT ACK F11:M/B ERRORS F12 DELETE

LB V123

APPENDIX X

*** REQUISITION MANAGEMENT SCREEN ***

ACCT NBR: 218848 002 REQ NBR: TEST NEW ONE

COMP: 001 REL NBR:

ELECTRONIC SOURCING MESSAGES

LINE NUMBER 001 PART NUMBER 53610

PART ADDED SUCCESSFULLY

LINE NUMBER 001 PART NUMBER 53610

REPLACEMENT WAS MADE FOR PRIOR PART: S100-Q6

LINE NUMBER 001 PART NUMBER 53610

VENDOR CHANGED FROM: VN00000001

LINE NUMBER 002 PART NUMBER 53620

PART ADDED SUCCESSFULLY

LINE NUMBER 003 PART NUMBER 53650

PART ADDED SUCCESSFULLY

F6:RETURN F7:BACKWARD F8:FORWARD
